

NAG C Library Function Document

nag_rngs_logical (g05kec)

1 Purpose

nag_rngs_logical (g05kec) returns a pseudo-random logical value – *true* with probability p and *false* with probability $(1 - p)$.

2 Specification

Boolean nag_rngs_logical (double **p**, Integer **igen**, Integer **iseed**[], NagError ***fail**)

3 Description

nag_rngs_logical (g05kec) returns the logical value of the relation

$$y < p$$

where y is a pseudo-random number from a uniform distribution over (0,1), generated by nag_rngs_basic (g05kac) using the values of **igen** and **iseed** as input to this function.

One of the initialisation functions nag_rngs_init_repeatable (g05kbc) (for a repeatable sequence if computed sequentially) or nag_rngs_init_nonrepeatable (g05kcc) (for a non-repeatable sequence) must be called prior to the first call to nag_rngs_logical (g05kec).

4 References

Knuth D E (1981) *The Art of Computer Programming (Volume 2)* (2nd Edition) Addison–Wesley

5 Parameters

- 1: **p** – double *Input*
On entry: must contain the probability of nag_rngs_logical (g05kec) returning a true result.
Constraint: $0 \leq \mathbf{p} \leq 1$.
- 2: **igen** – Integer *Input*
On entry: must contain the identification number for the generator to be used to return a pseudo-random number and should remain unchanged following initialisation by a prior call to one of the functions nag_rngs_init_repeatable (g05kbc) or nag_rngs_init_nonrepeatable (g05kcc).
- 3: **iseed**[4] – Integer *Input/Output*
On entry: contains values which define the current state of the selected generator.
On exit: contains updated values defining the new state of the selected generator.
- 4: **fail** – NagError * *Input/Output*
The NAG error parameter (see the Essential Introduction).

6 Error Indicators and Warnings

NE_REAL

On entry, $\mathbf{p} < 0.0$ or $\mathbf{p} > 1.0$: $\mathbf{p} = \langle \text{value} \rangle$.

NE_BAD_PARAM

On entry, parameter *<value>* had an illegal value.

NE_INTERNAL_ERROR

An internal error has occurred in this function. Check the function call and any array sizes. If the call is correct then please consult NAG for assistance.

7 Accuracy

Not applicable.

8 Further Comments

None.

9 Example

The example program prints the first five pseudo-random logical values generated by `nag_rngs_logical` (g05kec) after initialisation by `nag_rngs_init_repeatable` (g05kbc), when the probability of a TRUE value is 0.6.

9.1 Program Text

```

/* nag_rngs_logical(g05kec) Example Program.
 *
 * Copyright 2001 Numerical Algorithms Group.
 *
 * Mark 7, 2001.
 */

#include <stdio.h>
#include <nag.h>
#include <nag_stdlib.h>
#include <nagg05.h>

int main(void)
{

    /* Scalars */
    Integer i, igen;
    Integer exit_status=0;
    Boolean x;
    NagError fail;

    /* Arrays */
    Integer iseed[4];

    INIT_FAIL(fail);
    Vprintf("g05kec Example Program Results\n\n");

    /* Initialise the seed */
    iseed[0] = 1762543;
    iseed[1] = 9324783;
    iseed[2] = 42344;
    iseed[3] = 742355;
    /* igen identifies the stream. */
    igen = 1;
    g05kbc(&igen, iseed);
    for (i = 1; i <= 5; ++i)
    {
        x = g05kec(0.6, igen, iseed, &fail);
        if (fail.code != NE_NOERROR)
        {
            Vprintf("Error from g05kec.\n%s\n", fail.message);
        }
    }
}

```

```
        exit_status = 1;
        goto END;
    }
    Vprintf("  %s\n", x? "T" : "F");
}
END:
return exit_status;
}
```

9.2 Program Data

None.

9.3 Program Results

g05kec Example Program Results

```
T
F
T
F
F
```
